# Contents and Subject Index

## Pflanzenschutz-Nachrichten Bayer

---

Volume 1972

Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1972_index-contents

# Contents

**Volume 1972**


Page

Brinkman, B.:
Field trials and practical experience with ®Sencor in Holland 297

Dräger, G.:
Reaction products of chlorphoxim (Bay 78 182) formed by exposure of the parent compound to irradiation 32

Eue, L.:
®Sencor, a herbicide of the triazinone group 175

Fellowes, R. W.:
Evaluation of ®Sencor in New Zealand 330

Hack, H., and Lembrich, H.:
Increased potato yields through weed control with ®Sencor 361

Jarczyk, H. J.:
Migration of herbicides in different soil types 3

Jarczyk, H. J.:
Method for gas-chromatographic determination of ®Tribunil residues in soil, water and plant material 21

Jung, H. F., and Iwaya, K.:
The major insect pests of tropical and subtropical rice, and their control 85

Jung, H. F., and Yamada, Y.:
Major diseases of tropical and subtropical rice and their control 64

Kampe, W.:
Field trials with ®Sencor (metribuzin) in carrots, tomatoes and asparagus 283

Kees, H., and Obst, A.:
Control of glume blotch of wheat with ®E 605 — Critical analysis of two-year trials 113

Kolbe, W.:
Studies to evaluate ®Euparen M as a fungicidal treatment of pome fruit, with special consideration to its acaricidal action and varietal tolerance 123

Kolbe, W., and Zimmer, K.:
Studies on chemical control of weeds with the soil-applied and foliar-acting herbicide ®Sencor in potatoes and vegetables, with consideration to varietal tolerance 210

Löser, E., and Kimmerle, G.:
Acute and subchronic toxicity of ®Sencor active ingredient 186

Michel, F., and Pourcharesse, P.:
Two-year field trials with ®Sencor in France 309

Mülder, C. E. G.:
®Sencor, a new herbicide for potatoes and tomatoes in the Republic of South Africa 341

Takase, I., Tsuda, H., and Yoshimoto, Y.:
The fate of ®Disyston active ingredient in soil 43

Wäckers, R., and van den Berge, C.:
Results of trials and experience with ®Euparen M (5712 A) 163

# Subject Index 1972


**A**

*Abutilon theophrasti* 179
Acaricidal effect of Euparen 146—149
*Achillea millefolium* 241, 243
*Achlya* sp. 65, 68, 72
*Agromyza oryzae* 88, 90, 96
*Agropyron repens* 177, 178, 210—277, 303—305, 308, 310, 314, 331, 361
Alfalfa, Sencor in 182, 324, 325, 336—338
*Alopecurus myosuroides* 178, 216, 218, 283, 302, 310, 313, 362
*Alternaria oryzae* 66
*Amaranthus chlorostachys* 179, 334, 346, 348, 354, 358
*Amaranthus graecizans* 179
*Amaranthus hybridus*, see *A. chlorostachys*
*Amaranthus retroflexus* 179, 311, 313
*Amaranthus* sp. 362
*Amaranthus spinosus* 179, 355
*Amaranthus thunbergii* 345, 349, 353, 358
*Ambrosia artemisiaefolia*, see *A. elatior*
*Ambrosia elatior* 179
4-amino-6-tert.-butyl-3-(methyl-thio)-1,2,4-triazin-5-(4H)-one 175, 176, 186, 205, 283, 330, 342
Aminotriazole 182
*Anacyclus* sp. 179, 320, 321
*Anagallis arvensis* 179, 224, 226, 234, 238, 249, 261, 311, 313
*Anthemis cotula* 179
*Antirrhinum orontium* 179, 320, 321
®Antracol 69, 71, 73, 75, 113, 115, 116, 124, 133, 135—140, 144—146, 148
*Apera spica-venti* 252
*Aphanes arvensis* 225, 226, 234, 238, 249, 252, 253, 261
*Aphelenchoides besseyi* 98, 112
*Aphis fabae* 151
*Aphis pomi* 149—151, 157
Asparagus, Sencor in 182, 263—264, 283—296, 326—327
Atrazine 336
*Atriplex patula* 362
*Avena fatua* 177, 178, 213, 283, 287, 310, 313, 324, 362

**B**

Bay 6159 H 176, 309
Bay 77 488 32, 42
Bay 78 182 32—42
Bay 94 337 176, 342
Bayer 49 854 124
®Bayrusil 94—96
®Baythion 32
Benfluralin 336
Benomyl 113, 115, 116
*Bidens pilosa* 354, 358
®Bidisin 3—20
Binapacryl 124, 143
*Botrytis cinerea* 167—169
*Botrytis* sp. 153, 157
*Brachiaria* sp. 178
*Brassica campestris*, see *B. rapa*
*Brassica kaber* 179
*Brassica napus* 318
*Brassica rapa* 334

**C**

Calcium cyanamide 216
*Capsella bursa-pastoris* 179, 210—277, 311, 313, 334, 337, 362
Captan 113, 115, 116, 124, 138, 142, 150, 163—171
Carrots, Sencor in 182, 183, 220—222, 248—258, 283—296
*Cassia obtusifolia* 179
Celeriac, Sencor in 259—263
*Centaurea cyanus* 179
*Cerastium arvense* 311, 313
*Cercospora oryzae* 66
*Cercospora* sp. 70
®Ceresan 68, 70, 72
Chemical and physical properties of Sencor 176
*Chenopodium album* 179, 210—277, 287, 288, 302, 303, 307, 334, 337, 354, 355, 358, 362

*Chenopodium hybridum* 287
*Chenopodium* sp. 311, 313
*Chilo simplex*,
see *Ch. suppressalis*
*Chilo suppressalis* 89, 90, 94, 107, 108
Chinomethionat 124, 138
Chinothionat 138
*Chironomus oryzae* 90
*Chloethrips oryzae* 86, 90
Chlorbromuron 222
Chlorfenvinfos 116, 117
*Chlorops oryzae* 88, 90, 96, 104, 105
*Chlorops pumilionis* 113, 115
Chlorphenprop-methyl 3—20
Chlorphoxim 32—42
Chlorphoxim, reaction products of 32—42
*Chrysanthemum leucanthemum* 179
CIPC 222
*Cirphis unipunctata*,
see *Leucania separata*
*Cirsium arvense* 243, 253, 261, 303, 311, 313
*Cirsium* sp. 182
*Citrullus lanatus* 347, 348, 358
*Cladosporium fulvum* 168
*Cladosporium* sp. 70
*Cletus trigonus* 86, 91
*Cnaphalocrocis medinalis* 88, 91, 97
*Cochliobolus miyabeanus* 65, 67—70, 72, 75, 82
*Commelina benghalensis* 349, 358
*Commelina communis* 178
*Convolvulus arvensis* 247, 252, 253, 256, 311, 313
*Convolvulus* sp. 177
*Coronopus didymus* 334
*Corticium sasakii*,
see *Pellicularia sasakii*
*Crepis biennis* 324
Cucumber mosaic virus 125
*Cynodon dactylon* 178
*Cyperus esculentus* 178, 341—360
*Cyperus rotundus* 178

**D**

2,4-D 183
*Dactylaria oryzae*,
see *Pyricularia oryzae*
*Datura ferox* 354, 358
*Datura stramonium* 179, 320, 321, 334, 353, 358
*Daubentonia texana* 179
2,4-DB 336
*Delphacodes striatellus*,
see *Laodelphax striatellus*
*Deltocephalus dorsalis* 90, 95
Demeton 117
Dichlofluanid 113, 124, 138
*Dictychus* sp. 65
O,O-diethyl-S-(2-[ethylthio]-ethyl)-phosphorodithioate 43
*Digitaria sanguinalis* 283, 287, 310, 313, 331, 334, 345, 346, 355, 358
*Digitaria* sp. 177, 178, 331, 362
1,3-dimethyl-3-(2-benzthiazolyl)-urea 21
N,N-dimethyl-N'-(4-tolyl)-N'-dichlorofluoromethylthio)-sulphamide 125, 163
Dinocap 124, 142
Dinoseb 216
*Diplotaxis erucoides* 179, 320, 321
®Dipterex 94, 96, 97
©Dipterex MR 117
Diseases of rice and their control 72—75
Disulfoton 43—63
Disulfoton-sulphone 43, 51, 53, 59, 61
Disulfoton-sulphoxide 43, 47, 51, 53, 59, 61
®Disyston 43—63, 95, 96
Disyston, the fate in soil of 43—63
Diuron 182, 263, 264, 267
DNBP 336
DNOC 298, 301, 303, 305
*Donacia provostii* 98
*Drosophila* sp. 43
*Dysaphis plantaginea* 151

**E**

®E 605 Combi 152
®E 605 forte 113—122, 152
*Echinochloa crus-galli* 178, 220, 283, 287, 310, 313, 334, 362
*Echinochloa* sp. 177, 331
*Echinocnemus squamus* 87, 90, 98
*Ectostroma oryzae*,
see *Entyloma oryzae*
Effect of Sencor on following crops 183, 263—266, 316—318

*Eleusine africana* 345, 346, 348—350, 358
*Eleusine indica* 178, 334, 362
*Entyloma oryzae* 66
EPTC 342—350, 359
*Equisetum arvense* 224—226, 234, 238
®Eradex New 138
*Eriosoma lanigerum* 149—151, 157
*Erodium cicutarium* 252, 253, 334, 337
*Erucastrum gallicum* 179
®Etrofolan 95
®Euparen 69, 75, 113, 115, 116, 123—162, 167, 168
®Euparen M 123—162, 163—171
*Euphorbia helioscopia* 311, 313
Experimental (Code) Number 5712 163
Experimental (Code) Number 5712a 124, 156, 163

**F**

Fentinacetate 60 113—116, 118
®Folidol 94, 96—98
®Folidol M 94, 96—98
®Folimat 138, 147, 167
®Folithion 94, 96—98
*Fumaria officinalis* 180, 217, 225, 226, 261, 264, 311, 313, 334, 362
*Fusarium moniliforme*, see *Gibberella fujikuroi*
*Fusarium* sp. 65, 68, 72

**G**

*Galeopsis ladanum* 180, 362
*Galeopsis tetrahit* 362
*Galinsoga ciliata* 225—227, 234, 255, 256
*Galinsoga parviflora* 180, 210—277, 287, 320, 321, 335, 355, 358
*Galinsoga* sp. 268
*Galium aparine* 180, 210—277, 311, 314
*Galium* sp. 177
*Gibberella fujikuroi* 67, 68, 72, 82
*Gibberella moniliformis*, see *G. fujikuroi*
*Gloeosporium album* 153, 154
*Gloeosporium fructigenum* 153
*Gloeosporium perennans* 153
*Gloeosporium* sp. 153, 154, 157
Glume blotch of wheat, control of 113—122
*Gnaphalium uliginosum* 224, 247
®Gusathion 167
Gusathion A 94—98
Gusathion H 148
Gusathion M 94—98
Gusathion MS 152

**H**

*Haplodiplosis equestris* 120
*Helianthus annuus* 180
*Helminthia echioides* 324
*Helminthosporium oryzae*, see *Cochliobolus miyabeanus*
*Helminthosporium sigmoideum*, see *Leptosphaeria salvinii*
*Helminthosporium sigmoideum* var. *irregulare* 67, 69, 70, 75, 81
*Helminthosporium* sp. 69, 70, 75
Herbicidal activity of Sencor 177—181, 312—314, 321, 334—335, 337—338, 357—358, 362
*Hibiscus trionum* 358
®Hinosan 69—71, 73—75
*Hordeum murinum* 337
*Hydrellia griseola* 88, 90, 96
*Hydrellia sasakii* 96
*Hypochnus sasakii*, see *Pellicularia sasakii*

**I**

Insect pests of rice and their control 94—98
IPC 3—20
*Ipomoea* sp. 180

**K**

Karathane 164—166
Kü 13 183b 124

**L**

*Lagynotomus assimulans*, see *L. elongatus*
*Lagynotomus elongatus* 86, 91, 97, 100

*Lamium amplexicaule* 225, 226, 234, 238, 241, 335
*Lamium purpureum* 180, 210—277, 287, 362
*Lamium* sp. 311, 313
*Laodelphax striatellus* 87, 90, 95, 102
*Lapsana communis* 180
®Lebaycid 94—98
*Lema oryzae*, see *Oulema oryzae*
Lenacil 3—20
*Leptocorixa corbetti* 86, 91, 97
*Leptocorixa varicornis*, see *L. corbetti*
*Leptosphaeria nodorum*, see *Septoria nodorum*
*Leucania separata* 89, 97, 108
*Linaria* sp. 311, 313
Linuron 216, 222, 330, 332
*Lisea fujikuroi*, see *Gibberella fujikuroi*
*Lissorhoptrus oryzophilus* 87, 90, 98
*Lissorhoptrus simplex*, see *L. oryzophilus*
*Lolium multiflorum* 118
*Lolium perenne* 118, 337
*Lolium rigidum* 178
*Lolium* sp. 320, 321, 324
*Lolium temulentum* 178
Lucerne, Sencor in 182, 324, 325, 336—338
*Lycopsis arvensis* 225, 226

**M**

*Malva neglecta* 177, 180
*Malva* sp. 337
Mancozeb 113
Maneb 167
*Matricaria chamomilla* 287, 302, 362
*Matricaria inodora* 210—277
*Matricaria matricarioides* 335
*Matricaria* sp. 180, 311, 313
MCPB 336
ME 605 117, 151
*Medicago sativa* 336
*Melochia corchorifolia* 180
*Mentha arvensis* 243, 249
*Mercurialis annua* 180, 256, 311, 313, 362
*Mercurialis* sp. 217
®Metasystox R 150, 151
Methabenzthiazuron 3—20, 21—31, 330
Methamidophos 117
Metobromuron 216, 220, 330
Metoxuron 222
Metribuzin 3—20, 176, 186—209, 211, 216, 220, 222, 267, 283—296, 309, 316, 330, 342
Migration of herbicides in different soil types 3—20
Mineral oil 221, 222
*Molugo verticillata* 180
Monalide 222
Monolinuron 216, 217
Monuron 216
®Monzet, see Tuzet
®Morestan 124, 127—131, 133—141, 143, 149, 154, 164, 168
*Myosotis arvensis* 213, 225, 238

**N**

*Naranga aenescens* 89, 90, 97, 109
Nata 216
*Neovossia barclayana*, see *Tilletia horrida*
*Neovossia horrida*, see *Tilletia horrida*
*Nephotettix apicalis* 87, 90, 95
*Nephotettix bipunctatus*, see *N. impicticeps*
*Nephotettix cincticeps* 43, 87, 90, 95, 101
*Nephotettix impicticeps* 86, 90, 95
*Nezara antennata* 86
*Nezara viridula* 86, 91, 97
*Nicandra physaloides* 335
*Nicotiana glutinosa* 124
*Nilaparvata lugens* 87, 90, 95
*Nonagria inferens*, see *Sesamia inferens*
*Nymphula depunctalis* 88, 90
*Nymphula stagnalis*, see *N. depunctalis*
*Nymphula vittalis* 88, 90, 97

**O**

Omethoate 138
*Ophiobolus miyabeanus*, see *Cochliobolus miyabeanus*

®Orthocid 134, 135, 138—140
Orthocid 83 113, 137
*Oulema oryzae* 87, 103, 104
*Oulema* sp. 117
*Oxalis stricta* 180
*Oxya japonica*, see *O. yezoensis*
*Oxya sinensis*, see *O. velox*
*Oxya velox* 85, 98
*Oxya yezoensis* 85, 98

**P**

*Pachydiplosis oryzae* 88, 90, 96
*Panicum crus-galli* 216
*Panicum dichotomiflorum* 178, 335
*Panicum laevifolium* 346, 349, 358
*Panonychus ulmi* 123, 132, 147—149
*Papaver rhoeas* 180, 253, 311, 313
*Papaver* sp. 261
®Papthion 94—98
*Paraponyx oryzalis*,
see *Nymphula depunctalis*
Paraquat 217, 301, 303, 304, 336, 337
Parathion 117, 120, 121
Parathion-methyl 117
*Parnara guttata* 89, 91, 97, 111
*Pellicularia rolfsii*,
see *Sclerotium rolfsii*
*Pellicularia sasakii* 65, 66, 69, 74, 80
Pentanochlor 220, 222
Phenoxy-alkyl-carboxylic acids 182
Phorate 43
*Phorodon humuli* 151
*Phoxim* 32—42
*Physalis subglabrata* 177, 180
*Phytophthora macrospora*,
see *Scleropthora macrospora*
*Phytophtora* sp. 215
*Picris echioides* 324
*Piricularia oryzae*,
see *Pyricularia oryzae*
*Plantago major* 249, 252, 253, 256, 264
*Poa annua* 178, 210—277, 287, 310, 313, 335, 338, 362
*Poa pratensis* 337
*Poa* sp. 283
*Podosphaera leucotricha* 123
*Polygonum aviculare* 180, 224—226, 234, 238, 252, 287, 293, 311, 313, 336
*Polygonum blumei* 180
*Polygonum convolvulus* 180, 210—277, 287, 288, 303, 311, 313, 362
*Polygonum hydropiper* 303
*Polygonum lapathifolium* 180
*Polygonum pensylvanicum* 181
*Polygonum persicaria* 181, 210—277, 287, 302, 303, 313, 336
*Polygonum* sp. 285, 362
®Pomarsol 68, 72
Pome fruit, Euparen in 123—162
*Portulaca oleracea* 181, 320, 321, 336, 346, 355, 358
Potatoes, Sencor in 182, 211—220, 222—243, 297—308, 309—319, 330—332, 341—350, 361—374
Prometryne 330
Propineb 113, 124, 138
Propoxur 117
*Pseudaletia separata*, see *Leucania separata*
*Pseudomonas oryzae*,
see *Xanthomonas oryzae*
*Pseudomonas translucens*,
see *Xanthomonas translucens*
*Puccinia coronata* 117, 120
*Pyricularia oryzae* 65, 68, 70, 72, 73, 77—79
*Pyricularia* sp. 70
Pyridinenitrile 151
*Pythiomorpha* sp. 65
*Pythium* sp. 65, 68, 72

**R**

*Ranunculus arvensis* 311, 313
*Ranunculus repens* 252—254
*Raphanus raphanistrum* 181, 224—226, 234, 238, 256, 264, 311, 313, 362
Rattle virus 213
Reaction products of chlorphoxim 32—42
*Reseda phyteuma* 320, 321
Residue determination, Tribunil 21—31
*Rhizoctonia* sp. 65, 68, 72, 213
Rice dwarf mosaic virus 125
Rice, growth stages, disease and insect pest attack 68, 69
Rice, major diseases of 64—84

Rice, major insect pests of 85—112
Rice stripe virus 125
*Rumex obtusifolius* 252, 253
*Rumex* sp. 331
*Rupela albinella* 89, 90, 94
*Rupella albinella*, see *Rupela albinella*

**S**

*Schkuhria pinnata* 353—355, 358
*Schoenobius incertellus*, see *Tryporyza incertulas*
*Schoenobius incertulas*, see *Tryporyza incertulas*
*Scirpophaga albinella*, see *Rupela albinella*
*Scirpophaga innotata*, see *Tryporyza innotata*
*Scirpophaga monostigma*, see *Tryporyza innotata*
*Scirpophaga serica*, see *Tryporyza innotata*
*Scleranthus annuus* 311, 313
*Sclerophthora macrospora* 67
*Sclerospora oryzae*, see *Sclerophthora macrospora*
*Sclerotium fumigatum* 66
*Sclerotium hydrophilum* 66
*Sclerotium irregulare*, see *Pellicularia sasakii*
*Sclerotium microphaeroides*, see *Leptosphaeria salvinii*
*Sclerotium oryzae*, see *Leptosphaeria salvinii*
*Sclerotium phyllachoroides*, see *Entyloma oryzae*
*Sclerotium rolfsii* 66
*Sclerotium* sp. 69, 74
*Scotinophara lurida* 86, 91, 97, 100
®Sencor 3—20, 175—185, 186—209, 210—277, 283—296, 297—308, 309—329, 330—340, 341—360, 361—374
Sencor, effect on following crops 183, 263—266, 316—318
Sencor, toxicology of 176—177, 186—209
®Sencoral 176, 309
*Senecio vulgaris* 181, 226, 234, 243, 247, 252, 253, 256, 264, 311, 313, 335
*Septoria nodorum* 113—122
*Sesamia inferens* 89, 90, 94, 110
*Sesbania* sp. 181
*Setaria* sp. 177, 178, 310, 313, 335
*Setaria sphacelata* 345, 348, 358
*Setaria viridis* 216
*Sida spinosa* 181
Simazine 216, 336, 337
*Sinapis arvensis* 181, 253, 311, 313, 362
*Sitodiplosis mosellana* 120
*Sogata brazilensis*, see *S. orizicola*
*Sogata furcifera*, see *Sogatella furcifera*
*Sogata orizicola* 87, 90, 95
*Sogatella furcifera* 87, 95, 101
*Sogatodes orizicola*, see *Sogata orizicola*
Solan 220, 222
*Solanum nigrum* 177, 181, 224, 226, 234, 238, 249, 252, 253, 261, 302, 311, 313, 331, 332, 335, 339
*Solanum sarachoides* 335
*Solidago* sp. 181
*Sonchus arvensis* 303, 305
*Sonchus oleraceus* 177, 181, 226, 241, 252, 253, 256, 264
*Sonchus* sp. 310, 314
*Sorghum halepense* 177, 178
Soybeans, Sencor in 182
*Spergula arvensis* 181, 311, 313, 335, 338
*Sphaerulina oryzina*, see *Cercospora oryzae*
*Stellaria media* 181, 210—277, 287, 302, 303, 311, 313, 335, 338, 362
Storage rots, effect of Euparen against 153, 154
Sugar cane, Sencor in 183
*Susumia exigura* 88, 105

**T**

*Tagetes minuta* 345—349, 353, 354, 358
®Tamaron 117
*Taraxacum officinale* 181, 249, 252, 253, 261, 338
*Taraxacum* sp. 324
Tar oil 221
TEPP 32
®Terracur P 94—96, 98, 213

O,O,O,O-tetraethyldiphosphate 32—34
O,O,O,O-tetraethylmonothiodiphosphate 32—34
*Tetranychus urticae* 123, 148
Tetrasul 147, 148
*Thlaspi arvense* 181, 302, 311, 313, 362
*Thrips oryzae*, see *Chloethrips oryzae*
*Tilletia horrida* 66
*Tipanaea innotata*, see *Tryporyza innotata*
*Tipula aino* 90
TMTD 115, 116
Tolylfluanid 125, 138, 156
Tomatoes, Sencor in 182, 220, 244—248, 283—296, 319—324, 332—334, 350—357
Total herbicide, use of Sencor as 182
Toxicology, Sencor 176—177, 186—209
*Tragus racemosus* 355, 358
*Tribulus terrestris* 353, 358
®Tribunil 3—20, 21—31, 244—246, 248, 262, 263, 329
Tribunil, residue determination of 21—31
Trichlorfon 117
*Trichodorus pachydermus* 213
*Trichodorus* sp. 213
Trifluralin 332, 333, 336, 351
*Trifolium repens* 252, 253, 338
*Trifolium subterraneum* 338
*Tryporyza incertulas* 88, 90, 94
*Tryporyza innotata* 89, 90, 94
*Tussilago farfara* 177, 182, 238, 303
®Tuzet 69, 74, 167

**U**

®Unden 95, 117, 151, 152, 167
*Unkanodes sapporonus* 90
*Urochloa panicoides* 353—355, 358
*Urtica urens* 181, 224—226, 255, 256, 264, 287, 311, 313, 335, 338
®Uspulun 68, 70, 72
*Ustilaginoidea oryzae*, see *U. virens*
*Ustilaginoidea virens* 66

**V**

Varietal tolerance of Euparen in pome fruit 152—153
*Venturia inaequalis* 123
*Veronica arvensis* 226, 335
*Veronica hederaefolia* 234, 238, 301
*Veronica persica* 225, 234
*Veronica* sp. 181, 311, 313, 362
*Vicia faba* 22, 23, 25, 30
*Vicia* sp. 264
*Viola arvensis* 181, 210—277, 335
*Viola tricolor* 311, 313, 362
Volaton 32

**W**

Wettable sulphur 124, 154

**X**

*Xanthium pensylvanicum* 181
*Xanthium spinosum* 354, 358
*Xanthomonas kresek*, see *X. oryzae*
*Xanthomonas oryzae* 67, 70, 83
*Xanthomonas oryzicola*, see *X. translucens*
*Xanthomonas translucens* 67, 70

E. 120—754/3723 Printed in Germany